

KINEMAT
CINEMA TECH

HELASLIDE

PREMIUM SLIDER SYSTEM



PROUDLY BUILT IN CANADA



SALES@KINEMAT.CA

778-968-6503

KINEMAT
CINEMA TECH

HELASLIDE

MAIN FEATURES

ALL THE SIZES

YOU WILL EVER NEED.

ONE COMPLETE PACKAGE.



What's the ideal length for a slider? From shot to shot, show to show, it's difficult to decide the size that will work best for any situation. With the HELASLIDE your choice doesn't have to be final. This rapid-change system allows you to swap to any length rails in less than four minutes, Be it on the ground, on sticks, or on the dolly. Wherever you are. One slider. Every size.

BUT WAIT, THERE'S MORE



EASY LOW MODE

In less time than it takes to read this sentence the bottom mitchell mount can be removed, placing the head at less than four inches off the ground.



TOOL-FREE BASE OFFSET

A Kinemat exclusive, now perfected. Offest the base with the camera mounted and dial in that shot to perfection. Don't be stuck with one position, have them all.


SALES@KINEMAT.CA 778-968-6503

KINEMAT
CINEMA TECH

HELASLIDE

CHANGING LENGTH

• Remove Feet •



• Unscrew 4 Bolts •




• Loosen 2 Bolts •



• Remove End Plates •



• Slide Upper and Lower Carriage From Original Rails •



• Slide Upper and Lower Carriage Onto New Rails •



• Repeat Steps 1 to 4 in Reverse Order •




SALES@KINEMAT.CA 778-968-6503

KINEMAT
CINEMA TECH

HELASLIDE

SPECIFICATIONS

MATERIALS:
6061 ALUMINUM/HARD ANODIZED.....BODY/FRAME
CHROME-PLATED ROLLERS/PRECISION GROUND ROD/SEALED BEARINGS.....LINEAR MOTION SYSTEM
STAINLESS STEEL/ZINC PLATED/BLACK OXIDE.....FASTENERS
CARBON FIBER PA06 NYLON.....VARIOUS






Lower Carriage (LM001)



Upper Carriage (UA056)



Rails (RA600,800,1200,1800,2400)





Side Plate Assembly (RA134)



Mitchell Nut Assembly (LM005)

TRAVEL DISTANCES (inch/mm):
(800mm MODEL SHOWN)
23.5" RAILS (600mm): 16/406
31.5" RAILS (800mm): 24/610
47.25" RAILS (1200mm): 39.75/1010
71" RAILS (1800mm)*: 63.5/1600
96" RAILS (2400mm)*: 88.5/2250

*Secondary base (LM001) recommended when extending HELASLIDE past 47.25" rails.

SLIDER WEIGHT (lbs/Kg):

23.5" RAILS (600mm): 32/14.5
31.5" RAILS (800mm): 37/16.8
47.25" RAILS (1200mm): 46/20.8
71" RAILS (1800mm): 55/24.9
96" RAILS (2400mm): 72/32.6

MOUNTING HOLES (CARRIAGE):
#10-24 (4x)
1/4"-20 (3X)

(SIDES)
1/4"-20 (2X) FACE
1/4"-20 (1X) ENDS
3/8"-16 (2X) FACE
3/8"-16 (3X) BOTTOM
3/8"-16 (2X) TOP

SALES@KINEMAT.CA 778-968-6503